



PRK



PRK 800

TAVOLI PIZZERIA EURONORM (EN400X600) PROFONDITÀ 800 MM

- Costruzione in acciaio inox AISI 304 interno ed esterno
- Isolamento da 50 mm con schiume senza CFC nel rispetto totale dell'ambiente
- Piano di lavoro in granito
- 3D Cooling system: l'unico sistema che garantisce una temperatura corretta ed uniforme in tutti i vani.
- Versioni ventilate TN (-2/+7°C)
- Accessori interni di serie: 4 cremagliere ed una griglia plastificata per alimenti su coppia guide in acciaio inox per porta.
- Vano interno con angoli arrotondati ed accessori completamente smontabili per una pulizia a 360°
- Fermo porta a 90° e richiamo automatico
- Piedi in acciaio inox regolabili in altezza, ruote optional.
- Controlli elettronici assolutamente affidabili e precisi conformi alle norme HACCP sul controllo delle temperature in conservazione; versione BASE od IMPLEMENTATA con funzioni specifiche per le applicazioni più delicate
- Potenze frigorifere e impianti perfettamente calibrati che assicurano TEMPERATURA COSTANTE anche nel caso di frequenti aperture della porta, LONGEVITÀ DEI COMPONENTI e PRESTAZIONI SUPERIORI alla media del mercato.
- Tempi di intervento ridotti al minimo grazie alle connessioni rapide gruppo frigorifero estraibile su guide
- Sbrinamento a sosta
- Evaporazione automatica dell'acqua di condensa a risparmio energetico (gas caldo)
- Temperatura ambiente di funzionamento +43°C.
- Alimentazione: 220V/1Ph/50Hz
- Gas refrigerante R404a
- Accessori: Elementi neutri in acciaio inox ad angolo interni ed esterni, cassetiere neutre 7 cassette per vaschette PVC su ruote o su piedi.
- Versioni con motore incorporato o predisposte per gruppo remoto.
- Versioni con 2 e 3 porte e con blocco 7 cassette neutri contenenti vaschette PVC 600x400x70mm (incluse)

PRK 800

PIZZA PREP TABLES (EN400X600) 800 MM DEEP

- *AISI 304 stainless steel inside and outside*
- *50 mm insulation with CFC-free and zero ODP foam*
- *Granit work top*
- *3D Cooling system: the only system which assures a correct and uniform temperature*
- *Forced-air refrigeration*
- *Internal fitting per door: one s/s runners and a plastic coated shelf*
- *Rounded internal edges and removable racking for easy cleaning*
- *Self closing doors*
- *Adjustable s/s feet, castors as an option*
- *Electronic temperature controls absolutely precise and reliable, complying with the HACCP regulations; BASIC version or IMPLEMENTED version with specific functions for delicate applications*
- *Refrigerating power and unit perfectly calibrated which assure uniform temperature also in case of frequent door openings. Components life span and superior performance compared to the standard of the market*
- *Maintenance time reduced to the minimum thanks to the refrigerating unit mounted on sliding runners.*
- *Automatic defrost (by stop of the compressor)*
- *Low energy re-evaporation system of drain water by using hot gas*
- *+43°C ambient operation temperature*
- *Power supply: 220V/1Ph/50Hz*
- *Refrigerant R 404a*
- *Accessories: Ambient s/s corners, set of drawers on feet or castors for 7 PVC pizza containers*
- *Models both with condensing unit or equipped for remote units*
- *2 and 3-door models available with set of 7 ambient drawers and PVC 600x400x70mm pizza containers (included)*



Tavoli e complementi
per la pizzeria

*Pizza & Sandwich
prep tables*

PRK

Tavoli refrigerati per la preparazione della pizza / *Pizza prep tables and ingredient pan coolers*

VRK 1815 D



PRK 830 R

N° No.	Modello Model	Codice Code	Descrizione Description	Unità condensatrice Condensing unit	Temperatura*** Temperature***	Dimensioni (mm) Dimensions (mm)	N° Porte Doors	Dimensioni imballo (mm) Packing dimensions (mm)	Peso Netto/Lordo (Kg) Net/Gross weight (kg)
323	PRK820I	9PRK820IKA001	Banco Pizza refrigerato 2 porte <i>2-door pizza prep chiller counter</i>	si/yes	-2/+7°C	1490x800x1040	2	1550x860x1120	260 / 280
324	PRK821I	9PRK821IKA001	Banco Pizza refrigerato 2 porte + cassetteria neutra 7 cassetti <i>2-chilled door + one set of 7 ambient drawers pizza prep counter</i>	si/yes	-2/+7°C	2045x800x1040	2	2105x860x1120	315 / 340
325	PRK830I	9PRK830IKA001	Banco Pizza refrigerato 3 porte <i>3-door pizza prep chiller counter</i>	si/yes	-2/+7°C	2045x800x1040	3	2105x860x1120	325 / 350
326	PRK820R	9PRK820RKA001	Banco Pizza refrigerato 2 porte <i>2-door pizza prep chiller counter</i>	no	-2/+7°C	1260x800x1040	2	1320x860x1120	230 / 250
327	PRK821R	9PRK821RKA001	Banco Pizza refrigerato 2 porte + cassetteria neutra 7 cassetti <i>2-chilled door + one set of 7 ambient drawers pizza prep counter</i>	no	-2/+7°C	1815x800x1040	2	1875x860x1120	280 / 305
328	PRK830R	9PRK830RKA001	Banco Pizza refrigerato 3 porte <i>3-door pizza prep chiller counter</i>	no	-2/+7°C	1815x800x1040	3	1875x860x1120	290 / 315
329	CASSPIZZA1	9CAS555PUL001	Cassetteria neutra 7 cassetti con piedi e copertura inox <i>Set of 7 ambient drawers with s/s top covering</i>	ambiente <i>ambient</i>		555x780x800		655x880x1000	
330	CASSPIZZA2	9CAS555PUA001	Cassetteria neutra 7 cassetti con piedi e piano inox <i>Set of 7 ambient drawers on feet with s/s top</i>	ambiente <i>ambient</i>		555x800x850		655x900x1050	
331	CASSPIZZA3	9CAS555RML001	Cassetteria neutra 7 cassetti con ruote, maniglia e copertura inox <i>Set of 7 ambient drawers on castors with handle and s/s top covering</i>	ambiente <i>ambient</i>		555x780x812		655x880x1000	
332	CASSPIZZA4	9CAS555RMA001	Cassetteria neutra 7 cassetti con ruote, maniglia e piano inox <i>Set of 7 ambient drawers on castors with handle and s/s top</i>	ambiente <i>ambient</i>		555x800x862		655x900x1050	

VRK 2045 D



PRK 821



VRK non include (vedi pagg. 158-161) / VRK not included (see pages 158-161)

MOD.	COD.	(L X P X H) mm	VRK 1490 GN 1/2	VRK 1815 GN 1/2	VRK 2045 GN 1/2	VRK 1260 GN 1/1	VRK 1490 GN 1/1	VRK 1815 GN 1/1	VRK 2045 GN 1/1
	PRK820I	1490x800x1040	•				•		
	PRK821I	2045x800x1040			•				•
	PRK830I	2045x800x1040			•				•
	PRK820R	1260x800x1040				•			
	PRK821R	1815x800x1040		•				•	
	PRK830R	1815x800x1040		•				•	