



TRK700



TRK 700 – Tavoli refrigerati GN 1/1 per la ristorazione

- Profondità 700 mm.
- Accessori interni di serie: 4 cremagliere ed una griglia GN 1/1 plastificata per alimenti su coppia guide in acciaio inox per porta
- Cassetti optional (solo TN)
- Elementi neutri in acciaio inox ad angolo interni ed esterni

TRK 700 – Gastro Norm 1/1 chiller and freezer counters

- 700 mm. deep
- Standard fitting per door: one plastic coated shelf on s/s runners
- Drawer options (only for chiller counters)
- Ambient s/s corner cabinets




3D Cooling system

L'unico sistema che garantisce una temperatura corretta ed uniforme in tutti i vani.

3D Cooling system

The only system that guarantees a correct and uniform temperature in the whole counter.



Pannello di controllo per modelli predisposti senza gruppo
Control panel for models without unit



Vano GN1/1
GN1/1 room



Profondità utile dei cassetti GN1/1 (1/3=cm 12, 1/2=cm 23, 2/3=cm 34)
Usable depth of the GN 1/1 drawers (1/3=cm 12, 1/2=cm 23, 2/3=cm 34)



Con unità condensatrice / with condensing unit

N° No.	Modello Model	Codice Code	N° Porte Doors	Piano Work top	Unità condensatrice Condensing unit	Temperatura*** Temperature***	Dimensioni (mm) Dimensions (mm)	Dimensioni imballo (mm) Packing dimensions (mm)	Peso Netto/Lordo (Kg) Net/Gross weight (kg)
168	TRK702TN	9TRK72IPVA001	2	con piano - with work top	si/yes	-2/+7°C	1340x700x850	1400x760x930	105 / 120
169	TRK702TN/A	9TRK72IPLA001	2	con piano con alzatina - work top with splashback	si/yes	-2/+7°C	1340x700x940	1400x760x1020	105 / 120
170	TRK702TN/S	9TRK72IPNA001	2	senza piano - without work top	si/yes	-2/+7°C	1340x700x810	1400x760x890	105 / 120
171	TRK703TN	9TRK73IPVA001	3	con piano - with work top	si/yes	-2/+7°C	1820x700x850	1880x760x930	140 / 160
172	TRK703TN/A	9TRK73IPLA001	3	con piano con alzatina - work top with splashback	si/yes	-2/+7°C	1820x700x940	1880x760x1020	140 / 160
173	TRK703TN/S	9TRK73IPNA001	3	senza piano - without work top	si/yes	-2/+7°C	1820x700x810	1880x760x890	140 / 160
174	TRK704TN	9TRK74IPVA001	4	con piano - with work top	si/yes	-2/+7°C	2300x700x850	2360x760x930	169 / 194
175	TRK704TN/A	9TRK74IPLA001	4	con piano con alzatina - work top with splashback	si/yes	-2/+7°C	2300x700x940	2360x760x1020	169 / 194
176	TRK704TN/S	9TRK74IPNA001	4	senza piano - without work top	si/yes	-2/+7°C	2300x700x810	2360x760x890	169 / 194
177	TRK702BT	9TRK72IBVA001	2	con piano - with work top	si/yes	-18/-24°C	1340x700x850	1400x760x930	130 / 145
178	TRK702BT/A	9TRK72IBLA001	2	con piano con alzatina - work top with splashback	si/yes	-18/-24°C	1340x700x940	1400x760x1020	130 / 145
179	TRK702BT/S	9TRK72IBNA001	2	senza piano - without work top	si/yes	-18/-24°C	1340x700x810	1400x760x890	130 / 145
180	TRK703BT	9TRK73IBVA001	3	con piano - with work top	si/yes	-18/-24°C	1820x700x850	1880x760x930	170 / 190
181	TRK703BT/A	9TRK73IBLA001	3	con piano con alzatina - work top with splashback	si/yes	-18/-24°C	1820x700x940	1880x760x1020	170 / 190
182	TRK703BT/S	9TRK73IBNA001	3	senza piano - without work top	si/yes	-18/-24°C	1820x700x810	1880x760x890	170 / 190
183	TRK704BT	9TRK74IBVA001	4	con piano - with work top	si/yes	-18/-24°C	2300x700x850	2360x760x930	210 / 235
184	TRK704BT/A	9TRK74IBLA001	4	con piano con alzatina - work top with splashback	si/yes	-18/-24°C	2300x700x940	2360x760x1020	210 / 235
185	TRK704BT/S	9TRK74IBNA001	4	senza piano - without work top	si/yes	-18/-24°C	2300x700x810	2360x760x890	210 / 235
F46	CASS1/2	SOVCASS1/2	Cassettera 2 cassetti 1/2 - Block of 2 x 1/2 drawers (solo modelli TN - only for TN models)						
F47	CASS1/3	SOVCASS1/3	Cassettera 3 cassetti 1/3 - Block of 3 x 1/3 drawers (solo modelli TN - only for TN models)						
F48	CASS2/3	SOVCASS2/3	Cassettera cassetti 1/3+2/3 - Block of 1/3+2/3 drawers (solo modelli TN - only for TN models)						


Senza unità condensatrice / without condensing unit

N° No.	Modello Model	Codice Code	N° Porte Doors	Piano Work top	Unità condensatrice Condensing unit	Temperatura*** Temperature***	Dimensioni (mm) Dimensions (mm)	Dimensioni imballo (mm) Packing dimensions (mm)	Peso Netto/Lordo (Kg) Net/Gross weight (kg)
186	TRK702TN R	9TRK72RPVA001	2	con piano - <i>with work top</i>	no	-2/+7°C	1110x700x850	1170x760x930	82 / 97
187	TRK702TN/A R	9TRK72RPLA001	2	con piano con alzatina - <i>work top with splashback</i>	no	-2/+7°C	1110x700x940	1170x760x1020	82 / 97
188	TRK702TN/S R	9TRK72RPNA001	2	senza piano - <i>without work top</i>	no	-2/+7°C	1110x700x810	1170x760x890	82 / 97
189	TRK703TN R	9TRK73RPVA001	3	con piano - <i>with work top</i>	no	-2/+7°C	1590x700x850	1650x760x930	120 / 140
190	TRK703TN/A R	9TRK73RPLA001	3	con piano con alzatina - <i>work top with splashback</i>	no	-2/+7°C	1590x700x940	1650x760x1020	120 / 140
191	TRK703TN/S R	9TRK73RPNA001	3	senza piano - <i>without work top</i>	no	-2/+7°C	1590x700x810	1650x760x890	120 / 140
192	TRK704TN R	9TRK74RPVA001	4	con piano - <i>with work top</i>	no	-2/+7°C	2070x700x850	2130x760x930	150 / 175
193	TRK704TN/A R	9TRK74RPLA001	4	con piano con alzatina - <i>work top with splashback</i>	no	-2/+7°C	2070x700x940	2130x760x1020	150 / 175
194	TRK704TN/S R	9TRK74RPNA001	4	senza piano - <i>without work top</i>	no	-2/+7°C	2070x700x810	2130x760x890	150 / 175
195	TRK702BT R	9TRK72RBVA001	2	con piano - <i>with work top</i>	no	-18/-24°C	1110x700x850	1170x760x930	82 / 97
196	TRK702BT/A R	9TRK72RBLA001	2	con piano con alzatina - <i>work top with splashback</i>	no	-18/-24°C	1110x700x940	1170x760x1020	82 / 97
197	TRK702BT/S R	9TRK72RBNA001	2	senza piano - <i>without work top</i>	no	-18/-24°C	1110x700x810	1170x760x890	82 / 97
198	TRK703BT R	9TRK73RBVA001	3	con piano - <i>with work top</i>	no	-18/-24°C	1590x700x850	1650x760x930	120 / 140
199	TRK703BT/A R	9TRK73RBLA001	3	con piano con alzatina - <i>work top with splashback</i>	no	-18/-24°C	1590x700x940	1650x760x1020	120 / 140
200	TRK703BT/S R	9TRK73RBNA001	3	senza piano - <i>without work top</i>	no	-18/-24°C	1590x700x810	1650x760x890	120 / 140
201	TRK704BT R	9TRK74RBVA001	4	con piano - <i>with work top</i>	no	-18/-24°C	2070x700x850	2130x760x930	150 / 175
202	TRK704BT/A R	9TRK74RBLA001	4	con piano con alzatina - <i>work top with splashback</i>	no	-18/-24°C	2070x700x940	2130x760x1020	150 / 175
203	TRK704BT/S R	9TRK74RBNA001	4	senza piano - <i>without work top</i>	no	-18/-24°C	2070x700x810	2130x760x890	150 / 175
F46	CASS1/2	SOVCASS1/2	Cassettiera 2 cassetti 1/2 - <i>Block of 2 x 1/2 drawers</i> (solo modelli TN - <i>only for TN models</i>)						
F47	CASS1/3	SOVCASS1/3	Cassettiera 3 cassetti 1/3 - <i>Block of 3 x 1/3 drawers</i> (solo modelli TN - <i>only for TN models</i>)						
F48	CASS2/3	SOVCASS2/3	Cassettiera cassetti 1/3+2/3 - <i>Block of 1/3+2/3 drawers</i> (solo modelli TN - <i>only for TN models</i>)						